



Greylag Goose Session

GG AFMP: Definition of FRVs

Doc. AEWA/EGMIWG/5.14, Doc. AEWA/EGMIWG/Inf.5.10

AEWA Secretariat, Sergey Dereliev

2. Definitions of Favourable Reference Values (FRVs)

- **Favourable Reference Population (FRP)**

- **Breeding:** **108,000 pairs**
 - MU1: 35,000 pairs (based on national FRPs)
 - MU2: 73,000 pairs (based on national FRPs or BD Art. 12 reports for 2013-2018 (Germany))
- **Wintering:** **383,000 individuals (sum of nationally allocated wFRPs)**
 - MU1: (126,000) individuals (calculated)
 - MU2: (265,000) individuals (calculated)

- **Favourable Reference Range (FRR)**

- **Breeding:** $571,265 \text{ km}^2 = 296,800 \text{ km}^2 \text{ (MU1)} + 274,465 \text{ km}^2 \text{ (MU2)}$ (based on national FRRs or BD Art. 12 reports for 2013-2018 (Germany))
- **Wintering:** not set because several Range States did not provide information

- **Favourable Reference Habitat (FRH)**

- There is sufficient extent and quality of habitat to sustain the FRP in the breeding season (based on Range State assessments for MU1 and on reports and deduction (Germany) for MU2). For non-breeding season three RSs did not provide assessment (non-breeding FRH not set).

AEWA European Goose Management Platform

GG AFMP: Definition of FRVs
Doc. AEWA/EGMIWG/5.14

15-18 June 2020
EGM IWG5
Online Conference Format



Action requested from EGM IWG5:

- EGM IWG is invited to agree on the FRVs presented in the GG AFMP (Doc. **AEWA/EGMIWG/5.14**).